

CHAPTER 905
Curb Cutting and Private Driveways

905.01 Curb Installation and cutting; permit and fee.	905.04 Driveway apron material and thickness.
905.02 Driveway installation permit.	905.05 Denial of driveway permit; appeals.
905.03 Driveway location and width.	905.99 Penalty.

CROSS REFERENCE

New streets and sidewalks - see S.U. & P.S. Ch. 903

905.01 CURB INSTALLATION AND CUTTING; PERMIT AND FEE.

No person shall erect, alter, remove or otherwise move, displace or change any curb in any street, alley or public property in the City without first obtaining a written permit from the Director of Public Safety-Service. The fee for such permit shall be as set forth in Section 1321.05 of the Codified Ordinances.

905.02 DRIVEWAY INSTALLATION PERMIT.

No private driveway shall be installed or established between the sidewalk line and the street curb of any public street by any person before first obtaining a permit from the Director of Public Safety-Service.

905.03 DRIVEWAY LOCATION AND WIDTH.

(a) Any such driveway which passes over a public sidewalk shall not be of greater width than is reasonable and proper to insure the safety of pedestrians using the sidewalk. A driveway twenty (20) feet or less in width at the sidewalk line shall be presumed to be of a width which is reasonable to insure and protect the safety of pedestrians.

(b) No such driveway, or any part thereof, shall be located in any street closer to its intersection with any other street than is reasonable and proper so as to avoid traffic congestion or traffic hazards. A distance of twenty (20) feet or more from the nearest driveway edge to the nearest boundary of the other intersecting street shall be presumed to be sufficient to avoid traffic congestion or hazard.

905.04 DRIVEWAY APRON MATERIAL AND THICKNESS.

All driveway aprons which are hereafter constructed from the street line to the sidewalk line shall be of concrete and shall be not less than a minimum of six (6) inches thick, reinforced with 6x6x10/10 welded wire fabric. Private driveways shall be concrete and a minimum of not less than four (4) inches thick; reinforcing shall be 6x6x10/10 welded wire.

905.05 DENIAL OF DRIVEWAY PERMIT; APPEALS.

The applicant for a driveway installation permit shall have the right to appeal to the Board of Zoning and Building Appeals any refusal of a permit. (Ord. No. 96-84. Passed 2-11-85).

905.99 PENALTY.

Whoever violates any provision of this Chapter shall be guilty of a minor misdemeanor for the first offense. Whoever violates any provision of this Chapter shall be guilty of a fourth degree misdemeanor for the second offense or subsequent offenses.

(Ordinance No. 7-82. Passed 2-8-82).